



PELICAN

UTILITY

LED Flashlights	112
Lantern Style Flashlights	113
Lamp Style Flashlights	113-115
Headlamps.....	115
Batteries	115-116
Warning Flares and Accessories.....	116-117
Utility Cases	117



LITTLE ED™ RECOIL LED™



- Outfitted with a recoil LED module
- Body is made of tough ABS resin that's corrosion proof and resistant to extreme temperatures
- Powered by four AA alkaline cells (included)
- Cased

PEL 3610010245



MITYLITE™ 3N LED



- Compact body moulded from Xenoy® resistant to chemicals and corrosion
- Powered by three N-cell alkaline batteries
- Provides a bright light and extended battery burn life
- UL Class 1, Div 1, Gps A, B, C, D, T5

PEL 1990015110 Black
PEL 1990015245 Yellow



L1 LED LIGHT



- Polycarbonate body resistant to chemicals, water and corrosion
- Includes:
 - Long lamp life and extended battery burn time
 - 1.5 V alkaline coin cells
 - Break away safety lanyard
 - Coloured lens discs
- UL Class 1, Div 1, Gps A, B, C, D

PEL 1930010245 Yellow / black



VB3 LED



- Dual super bright white LED provides over 100 hours of battery burn time
- Lights turn on when the head is flipped up
- Pivots to a full 180° for aiming light where needed
- Built-in clip attaches to surfaces up to 1/2" thick
- UL Class 1, Div 1, Gps, A,B,C, D, T6

PEL 2220010110 Black
PEL 2220010126 Translucent blue



M6 LED



- One watt Luxeon® LED for intense brightness, extended battery burn time and long lamp life
- Strong, CNC-machined aluminum body with knurled grip handle
- Convenient push button tail cap and Cordura® holster with back-up battery pouch
- Includes two CR123 lithium cell batteries

PEL 2330010110 Black
PEL 2330010180 Silver



REMOTE AREA LIGHTING



- Comes in 1510 case
- 16 x 1 watt LED's mounted in an aluminum heat sink
- Aluminum pole extends to a height of 83"
- Provides 1280 lumens of light for any area
- Rechargeable battery has 9 hours of life
- Diffuser can be mounted to change the beam from a focused spot to a diffused beam

PEL 945000150



M8 LED



- One watt LED is aimed backward into the reflector
- 100% of the light is captured and reflected forward to create a super bright white collimated beam that cuts through the thickest smoke, fog and dust
- The sheath grip resists chemicals and extreme temperatures while preventing slippage
- UL Class 1, Div 2, Grp C, D, T3A

PEL 8020000110 Black
PEL 8020000110 Yellow

STREAMLIGHT®

STREAMLIGHT



- Waterproof, individually serialized penlights
- 100,000 hour LED bulb in a tempered 6.21" aircraft grade aluminum body
- Uses three AAAA cell batteries with a run time of over ten hours

PART #	BODY	LED
STM 65012	Silver	White
STM 65014	Silver	Green
STM 65016	Silver	Blue
STM 65018	Black	White
STM 65020	Black	Green
STM 65022	Black	Blue
STM 65024	Gold	White
STM 65026	Gold	Green
STM 65028	Gold	Blue



SABRELITE™ LED



- Voltage regulated LED light extends peak brightness
- Recoil LED technology results in a true collimated beam that cuts through thick smoke, fog and dust
- UL Class 2, Div 1, Gps F and G
- Class 1, Div 1, Gps C, D, T3A

PEL 2020000110 Black
PEL 2020000245 Yellow



BIG D™



- Lightweight, heavy-duty ABS body with Xenon light source
- Quick-release, NiMH battery pack, fast / trickle charger and optional 110V power supply or 12 V plugin adapter
- UL Class 1, Div 2, Grp D, T1

PEL 3850001110 Black
 PEL 3850001245 Yellow



BIG ED™



- Unbreakable, chemical, water and corrosion resistant body
- Rubber slide grips, easy-to-operate push button switch and heavy-duty, built-in stainless steel clip
- High intensity Xenon lamp
- Quick-change battery ejection system and back-up emergency lamp housed behind the reflector
- Trickle charger system comes with base and either 110V power supply or 12V plugin adapter
- UL Class 1, Div 2, Grp A, B, C, D, T2B

PEL 3750001245



KINGLITE™



- Unbreakable ABS resin body with polycarbonate lens
- Thermoplastic rubber shroud resists chemical and corrosion
- High powered spotlight with unique dual filament Xenon lamp cuts through thick smoke, fog and dust
- Back-up lamp stored behind the reflector for emergencies
- Dual direction switch, pistol grip and shock absorbing internal battery module
- CSA Class 1, Div 2, Gp A, B, C, D, T3C
- CSA Class 2, Div 2, Gp G
- Ambient temperature 0°C to 40°C

PEL 4000000110 Black
 PEL 4000000245 Yellow
 PEL 4000000150 Orange



LITTLE ED™



- Extremely strong, lightweight, corrosion proof, extreme temperature resistant ABS resin housing
- Right angle, super bright Xenon light
- One-handed switch, AA alkaline batteries (included) and built-in stainless steel clip
- CSA Class 1, Div 2, Gp A, B, C, D, T3A
- CSA Class 2, Div 2, Gp G
- -35°C to 40°C

PEL 3600010110 Black
 PEL 3600010245 Yellow
 PEL 3650010245 Yellow Rechargeable



LASER PRO™ 4D LIGHT



- Heavy-duty industrial / professional quality spotlight
- Xenon lamp module produces a powerful bright white light
- Unbreakable ABS body, polycarbonate lens and thermoplastic shroud is resistant to chemicals and corrosion
- CSA Class 1, Div 2, GP A, B, C, D, T3A
- CSA Class 2, Div 2, GP G
- Ambient temperature 0°C to 40°C

PEL 6000000110 Black
 PEL 6000000245 Yellow



M10 ALKALINE 4C LIGHT



- Uses a high pressure Xenon fired lamp module that produces a pre-focused, powerful, bright, high intensity light beam
- The lightweight Xenon® body with sure-grip stealth cover is resistant to chemicals and prevents slippage
- Push button switch
- CSA Class 1, Div 2, GP A, B, C, D, T3A
- CSA Class 2, Div 2 GP F, G, -35°C to 40°C

PEL 8040001110 Black
 PEL 8040001245 Yellow



MITYLITE®



- High intensity Xenon lamp produces a powerful, bright beam that cuts through thick smoke, fog and dust
- Submersible to 500'
- Twist-on shroud
- CSA Class 1, Div 2, Gps, A, B, C, D, T3C
- Class 2, Div 2, Gp F

PEL 1900015150 Orange
 PEL 1900015230 White
 PEL 1900015245 Yellow



LANTERN LIGHT



- Heavy-duty, floatable body
- Bright Krypton bulb
- Battery adapter holds either four "D" cells or one 6V lantern battery
- Recessed lens for added lens protection

DUR PCL4D



MITYLITE® 2



- Focused Xenon modified spot produces a tight white beam that penetrates smoke and fog
- Polymer resin body resistant to chemicals, water and corrosion
- Twist-on shroud
- CSA Class 1, Div 2, Gp A, B, C, D, T3C
- Class 2, Div 2, Gp G

PEL 2300010110 Black
 PEL 2300010245 Yellow



MITYLITE® PLUS 2



- Powerful, professional-duty light with pre-focused Xenon lamp module
- Produces a powerful, bright white, modified spot beam
- Chemical and water resistant Xenoy® body
- CSA Class 1, Div 2, Gp A, B, C, D, T3C
- Class 2, Div 2, Gp G
- FM Class 1, Div 2, GP A, B, C, D, T3A

PEL 2340010110 Black
 PEL 2340010245 Yellow



POCKET SABRELITE®



- Unbreakable ABS body resists chemicals, water and corrosion
- Polycarbonate lens and focused Xenon lamp module provides a tight white beam that penetrates any hazardous conditions
- Twist-on shroud
- Submersible to 500'
- CSA Class 1, Div 1, GP A, B, C, D, T4
- CSA Class 2, Div 2, GP F, G, -35°C to 40°C

PEL 182000110 Black
 PEL 182000245 Yellow
 PEL 182000150 Orange



PELILITE™



- Unbreakable ABS body resists chemicals, water and corrosion
- Polycarbonate lens and focused Xenon lamp module penetrates smoke and fog
- O-ring seal and twist-on shroud which eliminates leaky switches
- Powered by two C-cell alkaline batteries

PEL 1800010245



TRACKER™



- Made of tough polycarbonate resin that withstands chemicals, water and corrosion
- Focused Xenon lamp module produces a tight white beam that penetrates smoke and fog
- Twist-on shroud with clip
- Submersible to 500'
- UL Class 1, Div 2, Gps C, D, T3C

PEL 2140010245



MINI FLASHER™



- Hi-vis LED light can be seen over half a mile away
- Twist to turn on
- Powered by two L11541 alkaline coin cell batteries that last over 100 hours before replacing
- Submersible to 500'

PEL 2130010245



VERSABRITE™ II



- 1" diameter head that covers four times the area
- Twist to turn on, clip to a coat, shirt pocket, or hat
- CSA Class 1, Div 2, GP A, B, C, D, T3C
- CSA Class 2, Div 2, GP G, -35°C to 40°C

PEL 2270010110



STEALTHLITE™



- Easy slide on / off switch
- Tough resin body is corrosion proof and resistant to extreme temperatures
- Xenon lamp for a bright beam that penetrates thick smoke, fog and dust
- Submersible to 500'
- CSA Class 1, Div , GP A, B, C, D, T3C
- CSA Class 2, Div 2, GP G

PEL 2400010110 Black
 PEL 2400010245 Yellow
 PEL 2400010150 Orange



HEAVY-DUTY INDUSTRIAL FLASHLIGHT



- Oil and chemical resistant
- Reliable slide switch with protective switch guard prevents accidental ON and is oil / chemical resistant
- Computerized parabolic reflector provides high light transmittance
- Large hanger hook and spare bulb holder

DUR PCIND



SABRELITE™



- Safe for any hazardous environment or condition
- O-ring sealed with a twist-on shroud
- Comes with a polarity battery guard
- Submersible to 500'
- ABS resin body resists chemicals, corrosion and extreme temperatures
- Xenon lamp produces a powerful collimated white beam
- CSA Class 1, Div 2, Gp A, B, C, D, T3C
- CSA Class 2, Div 2, Gp G

PEL 2000010110 Black
 PEL 2000010245 Yellow
 PEL 2000010150 Orange



HEAVY-DUTY RUBBER FLASHLIGHT



- Shock absorbant and water resistant
- Bright krypton bulb
- Lanyard with quick break-off release and adjustable knob

DUR PCEXPD
 DUR PCVOYA

DURACELL® ALUMINUM PEN LIGHT



- Slim, lightweight aluminum body
- Powered by AAA batteries
- Sturdy pocket clip
- High quality pre-focused bulb

DUR PCPEN

DURACELL® PROCELL® ALKALINE BATTERIES



- Lasts five times longer than super heavy-duty batteries, dependable even after five years of storage
- Operates reliably in temperature extremes of -20°C to 54°C
- Date coded and economically packaged
- Contains no added mercury

PART #	TYPE	VOLTAGE
DUR PC1300	D	1.5 V
DUR PC1400	C	1.5 V
DUR PC1500	AA	1.5 V
DUR PC1604BK	9V	9.0 V
DUR PC2400	AAA	1.5 V



HEADSUP LITE™ LED 2610



- Dual mode button activates all three LED's for full brightness or just one for extended battery life
- Includes both the adjustable cloth strap and rubber strap for mounting on hard hats or helmets and AAA alkaline batteries

PEL 2610030110

DURACELL® PROCELL® ALKALINE LANTERN BATTERY



- Lasts up to twice as long as super heavy-duty batteries with long shelf life and reliable performance at extreme temperatures
- Date coded to ensure freshness
- Bulk packaged

DUR PC903 7.5 V
DUR MN908 6.0 V
DUR PC915 6.0 V
DUR MN918 6.0 V



HEADSUP LITE™ LED 2630



- Super bright one watt LED activated in four modes – low, medium, high and flashing
- Tough aluminum, corrosion proof, temperature resistant resin body with pivoting head and two different kinds of straps for head mounting and helmet mounting
- Handy battery pack houses three AA alkaline batteries

PEL 2630030110

DURACELL® COPPERTOP ALKALINE LANTERN BATTERY



DUR MN908 6 volt Spring top
DUR MN918 6 volt Screw top



HEADSUP LITE™ 2660



- Powerful halogen / LED combo light allows switching from LED close up work to powerful halogen beam that cuts through thick smoke and dust
- Housed in a tough ABS resin body that is corrosion proof, resistant to extreme temperatures and pivots 90°
- Larger, commercial duty four D-cell battery pack clips to a belt and provides up to 400 hours of continuous light
- Adjustable cloth strap for bare head and rubber strap for helmet mount

PEL 266030110

DURACELL® MALLORY SUPER HEAVY-DUTY LANTERN BATTERY



DUR SHD908 6 volt Spring top
DUR SHD918 6 volt Screw top

DURACELL® ZINC CARBON LANTERN BATTERY



DUR IND916X 6 volt Spring top

DURACELL LITHIUM BATTERY



- Very high energy density and excellent rate capability
- Up to four times the power of alkaline batteries
- Wide operating temperature range (-40°F to 140°F) and excellent low temperature performance
- Excellent shelf life (0.5% capacity loss per year at room temperature)
- 3.0 volts

DUR DL123ABPK
DUR DLCR2

DURACELL PHOTO BATTERY



DUR MX2500B2PK AAAA 1.5 volts

DURACELL RECHARGEABLE NICKEL METAL HYDRIDE BATTERY



DUR DC1500B4N AA
DUR DC2400B4N AAA

DURACELL PROCELL® ELECTRONIC BATTERIES



- Designed specifically for medical and electronic equipment to provide optimum performance
- Long lasting, dependable performance and quality
- Bulk packaged

DUR PL123A 123A 3.0 V
DUR PC9100 N 1.5 V
DUR PC7K67 J 6.0 V

DURACELL 15 MINUTE CHARGER



- Charges AA and AAA
- Includes four AA 2400 mAh batteries
- 15 minutes charge time

DUR CEF15NC

RIM-FIRE BEAR BANGERS



- Alerts or signals prearranged messages between parties
- Height of between 20 m - 30 m with a duration of 0.8 - 1.0 seconds
- Use with pen launcher
- 12 g each
- Six per package

EAM BC4001

RIM-FIRE FLARES



- Used for distress signalling with a pen launcher
- Height of between 40 m - 50 m with a duration of 4 - 6 seconds
- 10 g each
- Six per package

EAM SF3001 Red

RED FLARES



- For german rim-fire signal flares and crack cartridges
- Visible from about 1/2 km away by day and 20 km by night
- Burning time approximately six seconds
- Nine per package

SFI 52711

SIGNAL POCKET FLARE PEN



- For use with rim-fire flare refills and Bear Bangers

SFI 5G67

PEN LAUNCHER



- The size of a fountain pen
- Comprised of a metal tube, firing pin, spring and pocket clip
- Firing pin can be set for either rim fire or center fire cracks or flares
- Uses flare, multi-flare or bearbanger (cracker)

EAM RPL4001



FOUR CALIBRE FLARES

- Four calibre flares in aluminum casings
- 5 – 7 seconds burn time to a maximum of 120 m
- Visible for 4 km by day and 40 km by night
- Ten per package

SFI 6322



H & K SIGNAL PISTOL

- Signal pistol can launch item #52711, 52731 (requires insert), 6262 12 gauge flares, 6325 parachute flare, 6322 four calibre flare and 6330 four calibre crack cartridge

SFI 5281 Pistol
SFI 18002 Flare insert



12 GAUGE FLARES

- Altitude of 80 m and burn time of 5 – 7 seconds
- Visible from a distance of 2 km by day and 20 km by night
- For use with a 12 gauge shotgun or #5281 signal pistol
- Six per package

SFI 6262 Red, green and white



MICRO CASES



1050

- For housing electronics, games, cell phones and more
- Automatic pressure purge valve
- Dustproof, crushproof and submersible
- Available in solid blue, red, yellow or black or with clear lid

PART #	MODEL	INSIDE DIMENSIONS	OUTSIDE DIMENSIONS
PEL 1010	1010	4-5/16" x 2-13/16" x 1-5/8"	5-7/16" x 4-1/16" x 2-1/8"
PEL 1020	1020	5-1/4" x 3-1/2" x 1-5/8"	6-3/8" x 4-3/4" x 2-1/8"
PEL 1030	1030	6-3/8" x 2-5/8" x 2"	7-1/2" x 3-7/8" x 2-7/16"
PEL 1040	1040	6-7/16" x 3-13/16" x 1-11/16"	7-1/2" x 5-1/16" x 2-1/8"
PEL 1050	1050	6-7/16" x 3-13/16" x 2-11/16"	7-1/2" x 5-1/16" x 3-1/8"
PEL 1060	1060	8-5/16" x 4-5/16" x 2-3/16"	9-3/8" x 5-9/16" x 2-5/8"



FOUR CALIBRE CRACK CARTRIDGES

- Four calibre crack cartridges in aluminum casings
- 100 m projectory before detonation
- Time elapsed from firing to detonation is 5 - 7 seconds
- Creates a very loud bang
- Ten per package

SFI 6330



SMOKERS CEASE-FIRE®



- Cigarette butt receptacle
- Self-extinguishing design reduces the risk of fire
- Made of flame retardant, sturdy polyethylene
- Large galvanized steel pail inside with tie-down notches
- 16-1/2" x 38-1/2"

JUS 26800



UTILITY CASES



1620

- Constructed of lightweight space age structural resin
- O-ring seal and exclusive purge valve
- Supplied with pre-scored Pick 'N' Pluck™ foam or padded dividers
- Locking flanges and massive multiple latches for absolute security

- Moulded fold down handle
- Personalized nameplate engraving available
- Unconditional lifetime guarantee

PART #	MODEL	INSIDE DIMENSIONS	OUTSIDE DIMENSIONS	**COLOR CHOICES
PEL 1120	1120	7-3/8" x 4-7/8" x 3-1/16"	8-1/4" x 6-9/16" x 3-9/16"	B, S, Bl, O, Y
PEL 1150	1150	8-3/8" x 5-7/8" x 3-11/16"	3-11/16" x 9-1/4" x 7-9/16"	B, S, Bl, O, Y
PEL 1200	1200	7-3/8" x 4-7/8" x 3-1/16"	8-1/4" x 6-9/16" x 3-9/16"	B, S, O, Y
PEL 1300	1300	9-3/8" x 7-1/4" x 6-1/8"	10-5/8" x 9-11/16" x 6-7/8"	B, S, O, Y
PEL 1400	1400	12" x 9-1/8" x 5-3/16"	13-3/8" x 11-5/8" x 6"	B, S, O, Y
PEL 1420	1420	13" x 5" x 10"	15" x 8-1/2" x 10-1/2"	B
PEL 1450	1450	14-13/16" x 10-3/8" x 6"	16" x 13" x 6-7/8"	B, S, Y
PEL 1470F	1470F	15-3/4" x 10-9/16" x 3-3/4"	16-11/16" x 13-1/16" x 4-3/8"	B
PEL 1490*	1490	17-7/8" x 11-1/2" x 4-1/8"	19-7/16" x 13-15/16" x 4-11/16"	B
PEL 1500	1500	17" x 11-7/16" x 6-1/8"	18-1/2" x 14-1/16" x 6-15/16"	B, S, O, Y
PEL 1520	1520	17-7/8" x 12-3/4" x 6-3/4"	19-1/8" x 15-7/16" x 7-9/16"	B, S, O, Y
PEL 1550	1550	18-15/16" x 14-7/16" x 7-3/4"	20-11/16" x 17-3/16" x 8-9/16"	B, S, O, Y
PEL 1600	1600	21-3/4" x 16-13/16" x 7-7/8"	21-1/4" x 19-7/16" x 8-11/16"	B, S, O, Y
PEL 1610	1610	22-3/16" x 17-1/8" x 10-9/16"	24-9/16" x 19-5/16" x 11-15/16"	B
PEL 1620	1620	22-1/6" x 17" x 12-9/16"	24-13/16" x 19-3/8" x 13-7/8"	B
PEL 1650	1650	29" x 17-7/8" x 10-1/2"	32-1/2" x 20-1/2" x 11-5/16"	B
PEL 1660	1660	29-1/8" x 20-11/16" x 17-5/8"	31-1/2" x 22-7/8" x 18-7/8"	B
PEL 1700	1700	35-3/4" x 13-13/16" x 5-1/4"	38-1/8" x 17-13/16" x 6-1/8"	B
PEL 1750	1750	50-1/2" x 13-7/16" x 5-1/4"	53" x 17-7/16" x 6-1/16"	B

* The Pelican 1490 also comes in the following:

PEL 1490CC1 Deluxe case
PEL 1490CC2 With lid organizer

Colors: **B = Black **S** = Silver **Bl** = Blue **O** = Orange **Y** = Yellow